


S-CARGO & WEIGHTLIFTER
HEAVY DUTY
GOODS LIFTS



**SHORTS
LIFTS**



SHORTS LIFTS HAVE
BEEN SUPPLYING AND
MANUFACTURING LIFTS
IN THE UK FOR OVER
50 YEARS



**SHORTS
LIFTS**


S-CARGO & WEIGHTLIFTER
**HEAVY DUTY
GOODS LIFTS**

It's no surprise that all of this accumulated experience has been utilised in the development of a range of **heavy duty** hydraulic goods lifts to suit any situation.

The S-Cargo and Weightlifter ranges have been designed and engineered to provide maximum flexibility in ensuring that the user's exact requirements are met with the best possible solution. Why accept something that is almost – but not quite – the right answer.

Manufactured in the UK, these lifts really are as solid and as well engineered as you would need to cover all the heavy duty environments and applications that you are likely to encounter.... and if you have an application that is REALLY special then we can even offer a Bespoke solution.

Each lift is designed and manufactured to ISO 9001:2000 and comes complete with a full builders' work drawing, wiring diagrams and user manual.





S-CARGO & WEIGHTLIFTER HEAVY DUTY GOODS LIFTS



S-CARGO

Specially developed for the retail industry, although applicable virtually everywhere – the S-Cargo 500 and 750kg goods only lifts are the most robust and reliable answer to goods transportation problems in the retail and warehousing sector.

Site installation times are minimised as each S-Cargo is delivered to site complete with its own free-standing, heavy duty steel structure. Structure cladding is available as an option. The S-Cargo is available in two or three floor options with a maximum travel of 6.6 metres. As a non-passenger carrying lift, the S-Cargo range is fully compliant with European Machinery Regulations.

		S-CARGO		WEIGHTLIFTER		
Rated Load (KG)		500	750	1500	2000	3000
Persons		None	None	20	26	40
Car	WIDTH Cw	1220	1220	1700	1700	2000
	DEPTH Cd	1100	1525	1900	2400	2900
	HEIGHT Ch	2000	2000	2300	2300	2300
Entrance	WIDTH Ew	1220	1220	1700	1700	2000
	DEPTH Eh	2000	2000	2300	2300	2300
Well	WIDTH Ww	2040	2040	2500	2500	3000
	DEPTH Wd	1615	2040	2300	2800	3300
Pit	Ph	300	300	1500	1500	1500
Headroom	Sh	2800	2800	3600	3600	3600
Machine Room	WIDTH Rw	-	-	1600	1600	1600
	DEPTH Rd	-	-	2300	2300	2300
	HEIGHT Rh	-	-	2700	2700	2700

All dimensions in mm

Note! For lifts with manual shutter gates open front and rear, the lift well depth (Wd) increases by 90mm.



WEIGHTLIFTER GOODS/ PASSENGER LIFTS

Ranging in capacity from 1500kg to 3000kg, the **heavy duty** Weightlifter uses a twin hydraulic cylinder arrangement to give a performance worthy of its name. The use of high quality materials and components together with the solidly engineered design means that the Weightlifter is synonymous with the three-Rs... *...Rugged, Robust and Reliable.*

The flexible approach to design means that you can tailor the specification to exactly match your requirements. Amongst the many options are:

- ❖ 2 to 5 floor travel - 13m maximum
- ❖ Open through car option
- ❖ Manual shutters or automatic doors
- ❖ British Standard 2 hour fire rated landing entrances
- ❖ Choice of car finishes
- ❖ Remote machine room
- ❖ Micro floor levelling

As you would expect, all lifts in the Weightlifter range are fully compliant to EN81-2 : 1998 and Lift Regulations 1997 (95/16/EC).

WEIGHTLIFTER BESPOKE RANGE

In certain special applications where the standard S-Cargo and Weightlifter lifts are not suitable, such as in hazardous environments or in applications with special loading requirements, Shorts offer a bespoke design and production service. Simply give us your specification requirements and leave the rest to us....